



HHS Public Access

Author manuscript

Ann Occup Hyg. Author manuscript; available in PMC 2021 January 03.

Published in final edited form as:

Ann Occup Hyg. 2016 June ; 60(5): 537–550. doi:10.1093/annhyg/mew020.

Defining and measuring safety climate: A review of the construction industry literature

Natalie V. Schwatka,

University of Colorado, Anschutz Medical Campus, Colorado School of Public Health, Department of Environmental and Occupational Health, Center for Health, Work and Environment, 13001 E. 17th Pl., 3rd Floor, Mail Stop B119 HSC, Aurora, CO 80045, 1-303-724-4607

Steven Hecker,

Labor Education and Research Center, 1289 University of Oregon, Eugene, OR 97403

Linda M. Goldenhar

CPWR – The Center for Construction Research and Training, 8484 Georgia Ave., Suite 1000, Silver Spring, MD 20910

Abstract

Safety climate measurements can be used to proactively assess an organization's effectiveness in identifying and remediating work-related hazards, thereby reducing or preventing work-related ill health and injury. This review paper focuses on construction-specific articles that developed and/or measured safety climate, assessed safety climate's relationship with other safety and health performance indicators, and/or used safety climate measures to evaluate interventions targeting one or more indicators of safety climate. Fifty-six articles met our inclusion criteria, 80 percent of which were published after 2008. Our findings demonstrate that researchers commonly defined safety climate as perception-based, but the object of those perceptions varies widely. Within the wide range of indicators used to measure safety climate, safety policies, procedures and practices was the most common, followed by general management commitment to safety. The most frequently used indicators should and do reflect that the prevention of work-related ill health and injury depends on both organizational and employee actions. Safety climate scores were commonly compared between groups (e.g., management and workers, different trades), and often correlated with subjective measures of safety behavior rather than measures of ill health or objective safety and health outcomes. Despite the observed limitations of current research, safety climate has promise as a useful feature of research and practice activities to prevent work-related ill health and injury. Safety climate survey data can reveal gaps between management and employee perceptions, or between espoused and enacted policies, and trigger communication and action to narrow those gaps. The validation of safety climate with safety and health performance data offers the potential for using safety climate measures as a leading indicator of performance. We discuss these findings in relation to the related concept of safety culture, and offer suggestions for future research and practice including 1) deriving a common definition of safety climate, 2) developing and testing construction-specific indicators of safety climate, and 3) focusing on

Corresponding author: University of Colorado, Anschutz Medical Campus, Colorado School of Public Health, Department of Environmental and Occupational Health, Center for Health, Work and Environment, 13001 E. 17th Pl., 3rd Floor, Mail Stop B119 HSC, Aurora, CO 80045, 1-303-724-4607, Natalie.schwatka@ucdenver.edu.

construction specific issues such as the transient workforce, sub-contracting, work organization and induction/acclimation processes.

1.1. INTRODUCTION

The term safety culture, a subset of organizational culture, is used to broadly describe the value an organization places on the safety and health of its workforce through its policies, procedures, and practices (Guldenmund 2000). It became an integral part of the occupational safety and health business lexicon in the 1980's in response to catastrophic events in the nuclear power, offshore oil, and commercial aviation industries (Cox and Flin 1998). More recently, the health care sector has turned to understanding safety culture as a means to improve patient safety and prevent medical errors (Sammer et al. 2010). A second related construct, *safety climate*, has been investigated as an indicator of the overall strength of an organization's safety culture. Safety climate measurements can be used to proactively assess an organization's effectiveness in identifying and remediating work-related hazards, thereby reducing or preventing work-related ill health and injury.

The term safety climate first appeared in the academic literature in 1980 when Zohar measured workers' perceptions of various aspects of job safety in manufacturing organizations with high and low accident rates (Zohar, 1980). He defined safety climate as the "summary of molar perceptions that employees share about their work environment [in relation to safety]" (pg. 96), and found that safety climate was related to safety audit scores. Since then, others have examined the usefulness and accuracy of measuring safety climate and whether such data can be used to understand or predict workplace safety and health performance across numerous industries. While the construction industry is a relative latecomer to the safety climate discussion, recent work by academics and practitioners have applied this construct as one way to understand and improve workplace safety and health (Gillen et al. 2014).

Meta-analytic and review articles on safety climate have included numerous industries in their reviews; however, specific attention to the construction industry has not been given. Christian et al. (2009), Clarke (2006; 2010), and Nahrgang et al. (2011) all conducted meta-analytic reviews of safety climate studies across multiple industries, including construction. Glendon (2008) reviewed all safety culture and climate literature across industries. Only Choudhry (2007) reviewed safety *culture* (not *safety climate*) as it pertained specifically to the construction industry.

To date, no one has conducted a thorough review of the literature to examine how the safety climate construct has been defined, measured, and used to improve safety and health outcomes in construction. This presents a significant gap in the field because construction has a number of characteristics that are less common in fixed industry that may have a negative impact on safety climate. Among these are a jobsite in continual flux, a high degree of subcontracting, a transient workforce, and individual craft cultures. Our primary goal is to begin filling this gap by gaining a more comprehensive understanding of where consensus about safety climate definition and measurement does and does not exist in order to move both research and practice forward.

2.1. METHODS

Our starting point was Glendon's (2008) review of the safety climate/culture literature published between January 1, 1980 and January 31, 2008, where he identified 203 articles, 20 (7.4%) of which focused on the construction industry. Next, using the terms "safety climate," "safety culture," and "construction," we searched Web of Science, PsychInfo, Pubmed, and the American Society of Civil Engineering publications website (ASCELibrary.org) for all articles published between February 1, 2008 - March 1, 2014. We also found several safety climate research reports in the "gray literature".

Inclusion Criteria: The article had to be published in English and address at least one of the following: 1) Safety climate survey development and/or testing in a construction population; 2) Examination of the relationship between safety climate and safety and health performance or other related outcome variables; or 3) Application of a safety climate survey to measure the effectiveness of an intervention designed to improve one or more indicators of safety climate. Finally, since the terms safety climate and safety culture are frequently used interchangeably both in research and practice and the vast majority of safety climate researchers follow the Zohar tradition (1980) by measuring safety climate using worker perception surveys, articles that said they were measuring safety culture using worker perception surveys were also included.

3.1. RESULTS

Glendon's 1980 – 2008 search results (N=203) combined with our search from January 1, 2008 - March 1, 2014 (N=753) resulted in a total of 956 safety culture and/or safety climate-related articles across all industries published since 1980. Comparison of the pre- and post-2008 searches revealed that there has been a surge in safety culture and/or safety climate research in recent years.

Fifty-six articles met our inclusion criteria, 80 percent of which were published since 2008 (Figure 1 & supplementary Table S2 in the online edition). About 40% (n=22) were conducted in United States with the remainder carried out in Australia (n=9, 16%), Hong Kong (n=7, 13%), China (n=4, 7%), Singapore (n=3, 5%), Sweden (n=2, 4%), as well as a number of other countries that were infrequently represented (n=9, 16%). Two conducted cross-country comparisons: one compared construction safety climate in the United Kingdom, Spain, and Hong Kong (Meliá et al. 2008); while the other comparison was across five Nordic countries (Kines et al. 2011). The median study population sample size was 281 employees (interquartile range 181 – 596) and included primarily white males. Five articles (9%) specifically studied safety climate with Latino workers.

3.2. Defining safety climate

The most frequent definition of safety climate we found was that it reflected employee perceptions of safety in the workplace (n=38, 68%). Only three of these thirty-eight articles (8%) specifically stated that they reflected worker and manager perceptions, and included managers as well as employees as survey subjects. Eight of the 38 (21%) specified that perceptions were *shared* amongst employees. Twenty-two (58%) stated that safety climate

generally reflects workers' perceptions of how safety is valued by the organization, while 13 (34%) defined it more specifically as workers' perceptions of workplace safety policies, procedures and practices.

Five of the 56 (9%) studies claimed that safety climate reflected employee attitudes rather than perceptions. This distinction was noted as important by both Kines et al. (2011), and particularly Pousette et al. (2008), whose findings showed that attitudes and perceptions predict safety outcomes differently, with attitude questions being more susceptible to social desirability bias.

Rather than providing a definition of safety climate, some authors took a different approach. For example, instead of an overarching definition, Cigularov et al. (2010) described the specific indicators of safety climate (e.g., error management climate and safety communication). Ten of the 56 studies (18%) defined safety climate as an indicator of safety culture. Two (3.5%) defined it as an indicator of organizational climate (Meliá et al. 2008; Kapp 2012), and five (8.9%) provided no safety climate definition (Shoji and Egawa 2006; Burt et al. 2008; Kines et al. 2010; Abbe et al. 2011; Lopez del Puerto et al. 2013).

Finally, in five of the 56 studies reviewed (8.5%) the authors claimed to be studying safety culture, but defined (and measured) it in a manner more reflective of safety climate (Molenaar et al. 2002; Fung et al. 2005; Molenaar et al. 2009; Gilkey et al. 2013; Feng et al. 2014).

3.3. Measuring safety climate

We found that researchers typically had three overarching goals for measuring safety climate: 1) Develop a new safety climate survey instrument or adapt an existing one to reflect unique characteristics of construction; 2) Compare safety climate scores across groups of workers; or 3) Examine the relationship between safety climate survey findings and safety and health outcome measures (e.g., self-reported safety behaviors). Each of these is discussed below.

3.3.1. Develop or adapt a safety climate survey instrument

3.3.1.1. Survey sources—Fifteen (27%) of the studies developed their own safety climate survey instrument. However, the majority (n=41, 73%) adapted and used an instrument developed for construction or a different industry. The most commonly adapted safety climate surveys are discussed below.

Surveys developed for construction.: Only seven percent of the 56 articles used safety climate surveys that had been developed specifically for, or validated previously in, the US construction industry. In an effort to replicate Zohar's (1980) safety climate factor model, Dedobbeleer and Beland (1991) developed and tested a survey in the United States construction industry; this same instrument was used in three subsequent U.S. studies (Gillen et al. 2002; Arcury et al. 2012; Sparer et al. 2013). Mohammed (2002) developed and tested a survey in the Australian construction industry, which Teo (2011) later used in Singapore. Kines et al. (2011) first developed and tested the Nordic Safety Climate

Questionnaire in the construction industries of several Nordic countries, and then tested it in other industries.

Surveys developed in other industries but adapted for and used in construction.: The majority of the studies (n=37, 66%) used or made adaptations to previously developed non-construction specific surveys. The most common source (n=10) was the United Kingdom's Health and Safety Executive (HSE) safety climate questionnaire (Davies et al. 2001) or the The Climate Survey Tool (CST) (HSE 1997). The CST was subsequently renamed the Safety Climate Tool (SCT) and modified (Binch et al. 2009). The SCT was adapted for use on the London Olympic construction site (Healey and Sugden 2012).

Besides the CST, five researchers have adapted safety climate surveys from Zohar (2000); four from Neal et al. (2000); three each from Geller (1990) and the National Institute for Occupational Safety and Health (NIOSH) (Dejoy et al. 1995); and two from Burt et al. (1998). Some researchers utilized other surveys, but due to the low frequency with which they were used, they were not included in our review.

3.3.1.2. Indicators—Some of the studies that created or adapted safety climate surveys focused on identifying the key “factors” of the latent safety climate construct. Construction practitioners seem to prefer the term indicator to factor (which comes from the statistical procedure factor analysis). Therefore, in an effort to move the field of safety climate survey research towards more practical applications we will use the term *indicator(s)*.

The average number of safety climate indicators across all the surveys was 4.01 (range = 1 – 10) and each indicator was measured by an average of 21.92 questions (range = 1 – 78). To help make sense of the variation, we developed a categorization scheme for grouping “like” indicators (see supplementary Table S1 in online edition). We found that two categories: 1. Safety policies/resources/training and 2. General management commitment to safety, were used by over half the articles (Table 1). This was followed by supervisor commitment to safety and general organizational commitment to safety (37.5% and 35.7%, respectively). Three other indicators were included in approximately more than 25 percent of the articles. Additional indicators were reported but at low frequency so they are not shown in Table 1. Seventeen (30%) of the surveys in the 56 articles were tested for reliability and validity using statistical tests such as principal components analysis and confirmatory factor analysis.

3.3.2. Comparing safety climate scores across groups

Twenty-eight studies (50%) compared safety climate scores across worker subgroups to determine if there were significant differences in perception of worksite safety climate. Seven studies (12.5%) found significant differences in perception of worksite safety climate at the work-group level (Glendon and Litherland 2001; Lingard et al. 2009; Kines et al. 2010; Lingard et al. 2010; Biggs and Banks 2012; Lingard et al. 2012; Tholen et al. 2013). The study samples varied between work groups within a single company and from multiple companies. At the company level, three studies (5%) measured safety climate on multiple job sites of one general contractor. Two found significant differences at different jobsites (Gittleman et al. 2010; Fang and Wu 2013) and one did not (Chen et al. 2013). At the job-site level (one job site with multiple companies), five studies (9%) found that safety climate

scores were more similar among workers employed by the same company than workers employed by other companies (Probst et al. 2008; Lingard et al. 2010; Healey and Sugden 2012; Liao et al. 2013; 2014). At both the worker and management level, four studies (7%) compared the safety climate scores across workers and management on single sites with multiple contractors, and found that management rated safety climate significantly higher (Molenaar et al. 2002; Fung et al. 2005; Gittleman et al. 2010; Gilkey et al. 2012). A lower perception of climate among workers compared to managers could suggest that company safety programs are not operating as intended, thus providing lesser levels of protection.

Other group comparisons were conducted across ethnicities (Latino vs. non-Latino), construction trades, and union status. Cigularov et al. (2013b) found no difference in safety climate perceptions between Latino and non-Latino workers, or among different construction trades (Cigularov et al. 2013a). However, others found that Latino workers were likely to perceive a significantly poorer safety climate than non-Latino workers (Sokas et al. 2009; Gilkey et al. 2013), and some construction trades perceived significantly poorer safety climate than others (Abbe et al. 2011; Arcury et al. 2012). Gillen et al. (2002) found that union workers reported a significantly more positive safety climate than non-union workers.

3.3.3. Examining the relationship between safety climate and safety performance or other variables

Thirty-seven of the fifty-six studies (66%) investigated the relationship(s) between safety climate survey scores and one or more antecedent, mediating or outcome variables.

A number of studies investigated the degree to which organizational or personal worker or supervisor characteristics act as antecedents to safety climate perceptions. Overall, the data suggest that organizations that value human relations (i.e., cohesion and morale), or value both human relations and goal attainment (i.e., efficiency and productivity), have a more positive safety climate compared to organizations that primarily value internal processes (i.e., stability, control, formalization) or a combination of internal processes and goal attainment (Colley et al. 2013).

The most commonly studied outcome variable (n=14, 25%), self-reported worker safety behavior, was consistently found to be significantly positively associated with the safety climate score. Of the five articles (9%) that studied the relationship between safety climate perceptions and self-reported injuries, four found a significant negative relationship and one reported no relationship. Of the ten articles that studied safety climate's relationship to injuries derived from contractor records (n=10, 18%), nine found a significant negative relationship and one reported no relationship.

Only three studies (5%) demonstrated a null relationship between safety climate and safety outcomes. Sparer et al. (2013) found no significant relationship between company safety climate scores and a proprietary composite safety outcome variable called the ConstructSecure Safety Assessment Program score (CSAP). CSAP scores are based on a combination of contractor's experience modification rating, lost-time and OSHA recordable rates, number of OSHA citations, and the company's safety management system assessed

via document analysis. Glendon and Litherland (2001) found that safety climate was not correlated with project or company safety behavioral observation scores, contradicting earlier findings in non-construction industry settings (Zohar 1980); however a small sample size (n=92) may have contributed to the null findings. Martin et al. (2013) compared safety climate scores between accident and non-accident groups, and did not find any significant differences.

Healey & Sugden (2012) examined the correlation between safety climate scores and injury accident rates, reportable accident rates, and near-miss reports across 15 companies at the London Olympic Park construction site. They found that, in general, the mean safety climate scores of the project's construction companies were higher than industry averages in the UK and were significantly negatively correlated with injury accident rates, but positively associated with reportable accident rates. Near-miss reports were not significantly associated with safety climate scores. While it is unclear what the exact definitions of these types of injuries are in the author's study, it seems as though 'reportable accident rates' reflect injuries that rise to the level of federal reporting requirements whereas 'injury accident rates' reflect injuries that do not rise to the level of federal reporting requirements. These disparate findings may indicate that a positive safety climate is associated with fewer minor injuries, but more severe injuries that rise to the level of federal reporting requirements. This may indicate better injury reporting practices on jobsites with a positive safety climate. However, the authors admit that these findings are not conclusive as there may have been some measurement error (e.g., reportable accidents include 'major injuries' and 'three-day reportable accidents') and they had a low frequency of these outcomes.

All of the studies just described were cross-sectional. Only three (5%) were longitudinal and they found that safety climate was predictive of self-reported safety behaviors (Pousette et al. 2008; Tholen et al. 2013) and negatively related to injury incident rates (Han et al. 2014) over time at the individual level.

3.3.4. Using safety climate survey data to measure intervention effectiveness

Kines et al. (2010) hypothesized that workers' safety climate perceptions would improve after their supervisors participated in a safety communication intervention. They found that only one of the five safety climate indicators - "attention to safety" - improved significantly while the composite safety climate score did not. Sokas et al. (2009) evaluated the degree to which an OSHA 10-hour training course improved safety climate perceptions, but no improvement was detected at follow-up.

In the London Olympic Park study the Olympic Delivery Authority (ODA), acting as construction manager, established a Health, Safety and Environment Standard to guide the procurement of designs and construction, appoint contractors, and administer a safety culture/climate survey process (Bust 2011). They compared safety climate scores and accident injury rates over time for two contractors and found a positive trend for safety climate scores and a negative trend for accident injury rates.

4.1. Discussion

The purpose of this review was to better understand how investigators have defined and measured the safety climate construct and how they have used safety climate survey scores to predict or explain safety and health outcomes specifically in the construction industry. This type of research has grown in recent years with almost two-thirds of the reviewed studies having been published since 2010. Our findings mirror those from the broader safety climate literature, which suggest that while safety climate is a promising indicator of work-related safety and health, more precision is needed in how it is defined and measured. The following sections outline gaps identified in the review and present recommendations for improvement. These recommendations are not meant to be exhaustive; rather, they are intended to provide a starting point for moving construction related safety climate research and practice forward.

4.1. Definitions and measurement

Definitions.

The majority of researchers defined safety climate as employee perceptions of workplace safety. However, only a few specified what the perceptions referred to or distinguished between safety climate and safety culture. Guldenmund (2007) found similar ambiguity in the broader safety climate literature, noting that many researchers define safety climate in an implicit manner and that none defined safety climate with a particular population in mind.

At a 2013 workshop on construction safety culture and climate, seventy U.S. construction industry stakeholders examined the state of research and practice and called for improved definitions of safety culture, safety climate and project safety climate (Gillen et al. 2014). Parallel efforts are underway elsewhere (Lingard et al. 2014), lending support to the notion that researchers and practitioners should make a concerted effort to use agreed-upon definitions when researching and working with the safety climate construct in the construction industry.

Indicators.

As with previous safety climate reviews across other industry sectors, we found that a plethora of general versus industry-specific surveys comprising a variety of indicators have been used to measure safety climate in construction. Certain indicators have been more commonly viewed as comprising the safety climate construct (e.g., management commitment). Flin (2000) tentatively proposed the “Big Five” indicators of safety climate. However, there remains great variation in both assigned labels and the survey items designed to measure the indicators. The most populated category in our categorization scheme, “safety policies, resources, and practices,” included numerous indicators related to general perceptions of safety and health practices as well as perceptions of particular components of a safety system (e.g., training).

We believe that the use of multiple reliable and validated indicators provides more detailed guidance on which areas need improvement within an organization. Some organizations use safety climate indicator surveys as learning opportunity. For example, Gittleman et al.

(2010) used safety climate indicators related to management commitment as part of a safety needs assessment after multiple workers died on a construction site in a short period of time. This, in fact, may be a more effective use of safety climate than as a benchmarking tool. Indeed, the process provided the workers with an opportunity to have their voices heard, and the company's management team with feedback on how to improve worker safety and health. Alternatively, safety climate scores could be used as benchmarks, whether within or across organizations; however, this runs some risk as they are largely based on subjective perceptions. Scores based upon 5- or 7-point Likert scales may not be stable or comparable over time or across organizations. Other approaches to measurement, such as a rubric-based method discussed below, may be more appropriate for benchmarking purposes.

Safety climate researchers have suggested that there may be a core set of indicators that can be used across industries (e.g., management commitment, employee involvement) as well as indicators that may not be as generalizable (Cox and Flin 1998; Zohar 2011). For example, Huang et al. (2013) developed safety climate indicators for lone workers using a truck driver sample. Their "delivery limits" and "cell phone disapproval" indicators are very specific to trucking. Gillen et al.'s (2014) workshop report presents indicator labels selected by practitioners and researchers to best represent the construction industry, and the criteria within each indicator were specific to the construction industry. For example, leadership involvement includes criteria such as "the foreman sets the safety tone on the job site." Future research needs to consider features that are particular to the construction industry that affect safety climate and its accurate assessment.

Employee versus management perceptions.

The level at which safety climate is defined and measured, bears further attention. Many of the reviewed studies defined perceptions as worker/employee based, but few specifically stated that they could reflect both worker and manager perceptions. Additionally, very few studies compared safety climate scores between management and workers. Unlike workers, management's responses to safety climate questions may reflect a more idealized safety climate. Comparing safety climate indicators across occupational levels could reveal the quality of safety and health communication within the organization and a divergence between espoused and enacted policies and procedures. Indeed, Gittleman et al.'s (2010) research in construction and Huang et al.'s (2014) research in the trucking industry demonstrates the usefulness of conducting a gaps analysis between management and worker level safety climate perceptions.

Reliability and validity.

Over a decade ago, both Flin et al. (2000) and Guldenmund (2000) noted that the majority of safety climate surveys had not been assessed for their reliability and validity. Our review reveals little progress, at least with respect to the construction industry, with a minority of studies having conducted the appropriate statistical analyses. Of the seventeen studies (30%) that conducted some form of factor analysis to validate their survey, seven (41%) used principal component analysis (PCA), a technique better suited to reducing the number of survey questions rather than determining the relationships among them (Fabrigar et al. 1999; see Brown 2011 pg. 22). Exploratory and confirmatory factor analysis (ECA, CFA

respectively) are more appropriate for assessing the way in which the survey items “hang together,” thus being a more accurate reflection of the instrument’s reliability. We encourage investigators to evaluate both new or adapted survey instruments using EFA or CFA. Such analyses may reveal opportunities for safety climate survey improvement in measurement reliability and validity.

Language and culture.

It is clear from this review that safety climate research is occurring in numerous countries around the world; however, few of the articles addressed linguistic and cultural issues relevant to safety climate measurement. The use of written safety climate surveys among low literacy or non-native speaking workers may not provide reliable information. Furthermore, the use of safety climate surveys amongst a diverse group of workers from multiple cultural origins may lead to misleading results. For example, in the United States about one-quarter of the construction industry workforce was born in a foreign country with a large majority (82%) coming from Latin American countries (Center for Construction Research and Training 2013). Many Latino workers not only use Spanish as their first language and have low literacy rates (Brunette 2004), but they also bring cultural values to work, such as *machismo, respeto and familia*, values that may impact workers’ interpretation of United States-based safety climate questions (Menzel and Gutierrez 2010). More cross-cultural research is needed on the adoption or adaptation of ethnocentric safety climate indicators to other cultures as well as safety climate survey translation in multiple languages and for low-literacy workers.

Alternative methods.

A potential complement to quantitative safety climate perception surveys is a rubric-based approach, that uses narrative descriptors covering a spectrum from poor to exemplary for the targeted indicators (CWPR 2014; Gillen et al. 2014). Rubric descriptors themselves need to be validated through qualitative methods, followed by a comparison of climate assessment through perception surveys and the rubric method. Researchers at CPWR: The Center for Construction Research and Training and Washington State University are currently validating a new construction specific tool called the Safety Climate Assessment Tool (S-CAT). It uses rubrics to measure eight leading indicators of safety climate contained in the published workbook entitled *Strengthening Jobsite Safety Climate; Eight Worksheets to Help You Use and Improve Leading Indicators* (personal communication with Drs. Linda Goldenhar and Tahira Probst). Lingard et al. (Lingard et al. 2014) have proposed such a tool to use within the Australian construction industry.

4.2. Association with other safety and health related variables

The dominant focus in the literature on validating safety climate measures alongside subjective outcomes such as worker self-reported safety behaviors is problematic. Self-reported behaviors or injuries and illnesses data are easy to collect, but the dominant focus on this outcome may put undue emphasis on frontline workers’ responsibility for creating the jobsite’s safety climate while ignoring the influence of higher-level management. Indeed, preventing work-related ill health and injury depends on both organizational and employee

level actions. Researchers should expand the scope of their safety climate validation efforts to include other safety and health performance measures (e.g., supervisor safety leadership or organizational resources devoted to safety and health).

Some studies correlated safety climate scores with objective safety outcomes such as injury/illness rates, workers' compensation claims, or recordable/reportable accidents. Reasons for this likely include: 1) that it's easier to collect *self-reported* injury and illness data, 2) that it's difficult for researchers to access administrative injury and illness data and 3) uncertainty as to the appropriate time sequence between collecting climate and follow-up injury and illness data. In addition, since injury and illness incidents on any one construction site are rare, it is difficult to achieve enough statistical power to detect causality between safety climate and adverse outcomes. The London Olympic project is one example where such outcome data were readily available (Healey and Sugden 2012). While they found significant relationships between safety climate and objective injury outcome data, they also admitted difficulty in finding definitive trends due to a low accident rate among the sample of 15 companies.

4.3. Construction industry-specific issues.

Transience of the industry.

Because construction job sites are always in flux as projects begin, progress, and end and workers move between contractors, the degree of transience should be taken into consideration when discussing safety climate. In the manufacturing industry, Beus et al. (2010) found that job tenure was significantly positively associated with safety climate strength because employees had the opportunity to develop shared perceptions. The high turnover that characterizes construction employment might be expected to hamper development of shared perceptions; however, at least one study compared and found consistency in safety climate scores across multiple sites of a single contractor; suggesting that an individual company can influence safety climate beyond one site at one particular moment in time (Chen et al. 2013). More research is needed to determine if and how a strong safety climate can develop within transient work environments where workers travel from job site to job site.

Subcontracting.

On most construction worksites multiple contracting businesses work together to finish a particular project. The general and subcontracting entities come to the project with their own safety values, policies and procedures. It is plausible that the project-specific safety climate is, or may be, established and influenced primarily by the general contractor (Lingard et al. 2010). Research designed to gather and carefully aggregate multi-level data is needed to address how multiple contractors on the same job site may influence each other's safety climate.

Work organization.

On the job site, the foreman-led work crew is the basic unit to which the worker belongs. Indeed, most construction work occurs away from the contractor's main office or shop.

Antonsen's (2009b) study of safety culture among seamen on oil platform supply ships provides insights into the culture of a relatively isolated occupational group and ways in which safety improvements must be approached in such groups. He asks for greater appreciation by researchers of the "differentiation" perspective on organizational culture which argues that cultural understandings (and perhaps by extension climate perceptions) are sometimes shared, but only within subcultural boundaries (Antonsen 2009a). Defining what constitutes the "cultural unit" thus becomes critical. As in the subcontracting discussion above, administration of questions and analysis of data at the work- group, project, and organizational levels are needed to better elucidate the critical points for influencing and improving safety culture and climate (Lingard et al. 2014).

Induction/acclimation process.

In many settings workers are trained and acculturated via the apprenticeship model. In union environments the ties between craft workers may be especially strong, and union workers may rely on their fellow members for safety and health protection more than a distant general contractor (Applebaum 1981). None of the research we reviewed discussed the role of unions in the development of their safety climate indicators. Additional ethnographic research modeled on the work of Antonsen (2009), Gherardi et al. (1998), and others would provide a stronger basis for understanding how induction and acculturation into the industry may influence perceptions by which safety climate is often measured.

4.4. Relationship to construction safety *culture* research

While this review focuses on safety climate, the related construct of safety culture must also be discussed, particularly if investigators propose that measuring safety climate via surveys is actually measuring an organization's underlying safety culture. Various models of construction safety culture have been offered, (Choudhry et al. 2007a; 2007b; Molenaar et al. 2009; Zou 2011; Fang and Wu 2013), and they share the view that multiple elements interact to affect safety and health performance and safety culture. Thus, measuring safety climate alone using perception surveys risks missing important elements of the OHS management system, environmental and behavioral factors, and an organization's underlying safety and health-related values and beliefs. Some have argued that only triangulated methods (e.g., safety climate surveys, key informant interviews, job-site observations, etc.) can fully investigate these deeper cultural features (Glendon and Stanton 2000). While safety climate surveys are the least expensive and least labor-intensive means of collecting perception data, alone they may not provide a comprehensive understanding of which indicators need to be targeted and which interventions are most likely to ultimately improve safety outcomes.

4.5. Construction safety climate research and practice recommendations

Based on the aforementioned discussion, we offer a number of recommendations for advancing construction safety climate research and practice in Table 2.

5.0. Conclusions

The safety climate construct has captured the attention of many in the construction industry. While we found some inconsistencies in definitions and indicators, the results generally show us that safety climate may be a useful leading indicator of construction safety and health performance. We urge researchers and practitioners to continue studying and refining the safety climate construct using the recommendations provided, so we can continue to advance our understanding of the best methods to develop and sustain a strong safety climate and thereby improve safety and health outcomes for construction workers.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgements

This project was funded by cooperative agreement number U60-OH009762 to the CPWR - The Center for Construction Research and Training from the National Institute for Occupational Safety and Health (NIOSH). Its contents are solely the responsibility of the authors and do not necessarily represent the official view of NIOSH.

References

- *References with an asterisk before the last name of the first author were included in the review.
- * Abbe OO, Harvey CM, Ikuma LH, Aghazadeh F. Modeling the relationship between occupational stressors, psychosocial/physical symptoms and injuries in the construction industry. *Int J Ind Ergon.* 2011;41(2):106–17.
 - Antonsen S. Safety culture and the issue of power. *Safety Science* 2009a;47:183–191
 - Antonsen S. Safety culture: Theory, method and improvement. Burlington, VT: Ashgate; 2009b.
 - Applebaum HA. Royal blue: The culture of construction workers. Spindler G, Spindler L, editors. New York: Holt, Rinehart and Winston; 1981.
 - * Arcury TA, Mills T, Marín AJ, Summers P, Quandt SA, Rushing J, et al. Work safety climate and safety practices among immigrant Latino residential construction workers. *AJIM.* 2012;55(8):736–45.
 - Beus JM, Bergman ME, Payne SC. The influence of organizational tenure on safety climate strength: A first look. *Accid Anal Prev.* 2010;42(5):1431–7. [PubMed: 20538098]
 - * Biggs S, Banks T. A comparison of safety climate and safety outcomes between construction and resource functions in a large case study organization. Occupational safety in transport conference. Gold Coast, QLD; 2012 pp. 1–6.
 - Binch S, Bottomley D, Marshall M, Sugden D. The development of HSL's safety climate tool - A revision of the health and safety climate survey tool. In: Bust P, editor. International conference on Contemporary Ergonomics 2009.
 - Brown TA. Confirmatory factor analysis for applied research. New York: The Guildford Press; 2011.
 - Brunette MJ. Construction safety research in the United States: targeting the Hispanic workforce. *Injury prevention.* 2004;10(4):244–8. [PubMed: 15314054]
 - Burt CDB, Gladstone KL, Grieve KR. Development of the Considerate and Responsible Employee (CARE) scale. *Work Stress.* 1998;12(4):362–9.
 - * Burt CDB, Sepie B, McFadden G. The development of a considerate and responsible safety attitude in work teams. *Saf Sci.* 2008;46(1):79–91.
 - Bust P. Learning legacy: Lessons learned from the London 2012 Games construction project. learninglegacy.independent.gov.uk. 2011 12.

- Center for Construction Research and Training. The Construction Chart Book: The U.S. construction industry and its workers. 5 ed. Silver Spring: CPWR; 2013.
- *. Chen Q, Jin R. Multilevel Safety Culture and Climate Survey for Assessing New Safety Program. *Journal of Construction Engineering & Management*. 2013;139(7):805–17.
 - *. Chen Q, Jin R, Soboyejo A. Understanding a Contractor's Regional Variations in Safety Performance. *Journal of Construction Engineering & Management*. 2013;139(6):641–53.
- Choudhry RA, Fang D, Mohamed S. The nature of safety culture: A survey of the state-of-the-art. 2007a;45(10):993–1012.
- *. Choudhry RM, Fang D, Lingard H. Measuring safety climate of a construction company. *Journal of Construction Engineering & Management*. 2009;135(9):890–9.
- Choudhry RM, Fang D, Mohamed S. Developing a Model of Construction Safety Culture. 2007b;23(4):207–12.
- Christian MS, Bradley JC, Wallace JC, Burke MJ. Workplace safety: a meta-analysis of the roles of person and situation factors *J Appl Psychol*. American Psychological Association; 2009;94(5):1103–27. [PubMed: 19702360]
- *. Cigularov KP, Adams S, Gittleman JL, Haile E, Chen PY. Measurement equivalence and mean comparisons of a safety climate measure across construction trades. *Accid Anal Prev*. 2013a;51:68–77. [PubMed: 23207838]
 - *. Cigularov KP, Chen PY, Rosecrance J. The effects of error management climate and safety communication on safety: A multi-level study. *Accid Anal Prev*. 2010;42(5):1498–506. [PubMed: 20538106]
 - *. Cigularov KP, Lancaster PG, Chen PY, Gittleman J, Haile E. Measurement equivalence of a safety climate measure among Hispanic and White Non-Hispanic construction workers. *Saf Sci*. 2013b;54(C):58–68.
- Clarke S. The relationship between safety climate and safety performance: A meta-analytic review. *J Occup Health Psychol*. 2006;11:315–27. [PubMed: 17059296]
- Clarke S. An integrative model of safety climate: Linking psychological climate and work attitudes to individual safety outcomes using meta-analysis. *J Occup Organ Psychol*. 2010;83(3):553–78.
- *. Colley SK, Lincolne J, Neal A. An examination of the relationship amongst profiles of perceived organizational values, safety climate and safety outcomes. *Saf Sci*. 2013;51(1):69–76.
- Cox S, Flin R. Safety culture: Philosopher's stone or man of straw? *Work Stress*. 1998;12(3):189–201.
- CWPR. Strengthening jobsite safety climate: Eight worksheets to help you use and improve leading indicators [Internet]. 2014 [cited 2015 Mar 15]. Available from: <http://www.cpwr.com/sites/default/files/CPWR%20Activity%20Sheets%20Booklet%20081514.pdf>
- Davies F, Spencer R, Dooley K, MaTSU, Harwell, Didcot, et al. Summary guide to safety climate tools HSE Books; 2001.
- *. Dedobbeleer N, Beland F. A safety climate measure for construction sites. *J Saf Res*. 1991;22:97–103.
- DeJoy DM, Murphy LR, Gershon RM. The influence of employee, job/task, and organizational factors on adherence to universal precautions among nurses. *Int J Ind Ergon*, 1995;16(1):43–55.
- *. Edelson J, Neitzel R, Meischke H, Daniell W, Sheppard L, Stover B, et al. Predictors of Hearing Protection Use in Construction Workers. *Annals of Occupational Hygiene*. 2009;53(6):605–15.
- Fabrigar LR, Wegener DT, MacCallum RC, Strahan EJ. Evaluating the use of exploratory factor analysis in psychological research. *Psychological Methods*. 1999;4(3):272–99.
- *. Fang D, Wu H. Development of a Safety Culture Interaction (SCI) model for construction projects. *Saf Sci*. 2013;57(C):138–49.
 - *. Fang DP, Chen Y, Wong L. Safety climate in construction industry: A case study in Hong Kong. *Journal of Construction Engineering & Management*. 2006;132(6):573–84.
 - *. Feng Y, Teo EAL, Ling FYY, Low SP. Exploring the interactive effects of safety investments, safety culture and project hazard on safety performance: An empirical analysis. *International Journal of Project Management*. 2014;32(6):932–43.
- Flin R, Mearns K, O'Connor P, Bryden R. Measuring safety climate: identifying the common features. *Saf Sci*. 2000;34:177–92.

- *. Fung IWH, Tam CM, Tung KCF, Man ASK. Safety cultural divergences among management, supervisory and worker groups in Hong Kong construction industry. *International Journal of Project Management*. 2005;23(7):504–12.
- Geller ES. Overview of the safety performance solutions, Inc. safety culture survey. Blacksburg, VA: Safety Performance Solutions, Inc; 1990.
- Gherardi S, Nicolini D, Odella F. What do you mean by safety? Conflicting perspectives on accident causation and safety management in a construction firm. *Journal of Contingencies and Crisis Management*. 1998;6(4):202–13.
- *. Gilkey DP, del Puerto CL, Keefe T, Bigelow P, Herron R, Rosecrance J, et al. Comparative Analysis of Safety Culture Perceptions among HomeSafe Managers and Workers in Residential Construction. *Journal of Construction Engineering & Management*. 2012;138(9):1044–52.
- *. Gilkey DP, del Puerto CL, Rosecrance J, Chen PY. Comparative analysis of safety culture and risk perceptions among Latino and non-Latino workers in the construction industry. *Journal of Safety, Health & Environmental Research*. 2013;94–104(2).
- *. Gillen M, Baltz D, Gassel M, Kirsch L, Vaccaro D. Perceived safety climate, job demands, and co-workers' support among union and nonunion injured construction workers. *J Saf Res*. 2002;33:33–51.
- Gillen M, Goldenhar LM, Hecker S, Schneider S. Safety culture and climate in construction: Bridging the gap between research and practice. *CPWR*; 2014 4 pp. 1–60.
- *. Gittleman JL, Gardner PC, Haile E, Sampson JM, Cigularov KP, Ermann ED, et al. Case Study CityCenter and Cosmopolitan Construction Projects, Las Vegas, Nevada: Lessons learned from the use of multiple sources and mixed methods in a safety needs assessment. *J Saf Res*. 2010;41(3):263–81.
- *. Glendon AI, Litherland DK. Safety climate factors, group differences and safety behavior in road construction. *Saf Sci*. 2001;39:157–88.
- Glendon AI, Stanton NA. Perspectives on safety culture. *Saf Sci*. 2000;34:193–214.
- Glendon I. Safety culture: Snapshot of a developing concept. *J Occup Health Safety*. 2008;24(3):179–89.
- Guldenmund F. The nature of safety culture: a review of theory and practice. *Saf Sci*. 2000;34:215–57.
- Guldenmund FW. The use of questionnaires in safety culture research – an evaluation. *Saf Sci*. 2007;45(6):723–43.
- *. Han S, Saba F, Lee S, Mohamed Y, Peña-Mora F. Toward an understanding of the impact of production pressure on safety performance in construction operations. *Accid Anal Prev*. 2014;68:106–16. [PubMed: 24184131]
- *. Healey N, Sugden C. Safety culture on the olympic park [Internet]. hse.gov.uk. 2012 [cited 2014 Oct 11]. Available from: <http://www.hse.gov.uk/research/rrpdf/rr942.pdf>
- *. Hoffmeister K, Gibbons AM, Johnson SK, Cigularov KP, Chen PY, Rosecrance JC. The differential effects of transformational leadership facets on employee safety. *Saf Sci*. 2014;62(C):68–78.
- *. Hon CKH, Albert P.C. Chan, Yam MCH. Relationships between safety climate and safety performance of building repair, maintenance, minor alteration, and addition (RMAA) works. *Saf Sci*. 2014;65(C):10–9.
- *. Hon CKH, Chan, Albert PC, Yam MCH. Determining Safety Climate Factors in the Repair, Maintenance, Minor Alteration, and Addition Sector of Hong Kong. *Journal of Construction Engineering & Management*. 2013;139(5):519–28.
- HSE. Health and safety climate survey tool - information pack (MISC097) HSE Books; 1997.
- Huang Y-H, Zohar D, Robertson MM, Garabet A, Murphy LA, Lee J. Development and validation of safety climate scales for mobile remote workers using utility/electrical workers as exemplar. *Accid Anal Prev*. 2013;59:76–86. [PubMed: 23764880]
- *. Jorgensen E, Sokas RK, Nickels L, Gao W, Gittleman JL. An English/Spanish safety climate scale for construction workers. *AJIM*. 2007;50(6):438–42.
- *. Kapp EA. The influence of supervisor leadership practices and perceived group safety climate on employee safety performance. *Saf Sci*. 2012;50(4):1119–24.

- *. Kines P, Andersen LPS, Spangenberg S, Mikkelsen KL, Dyreborg J, Zohar D. Improving construction site safety through leader-based verbal safety communication. *J Saf Res.* 2010;41(5):399–406.
- *. Kines P, Lappalainen J, Mikkelsen KL, Olsen E, Pousette A, Tharaldsen J, et al. Nordic Safety Climate Questionnaire (NOSACQ-50): A new tool for diagnosing occupational safety climate. *Int J Ind Ergon.* 2011;41(6):634–46.
- *. Liao P-C, Lei G, Fang D, Liu W. The relationship between communication and construction safety climate in China. *J Civ Eng.* 2014;18(4):887–97.
- *. Liao P-C, Lei G, Xue J, Fang D. Influence of Person-Organizational Fit on Construction Safety Climate. *Journal of management in engineering.* 2013;:04014049.
- *. Lingard H, Cooke T, Blismas N. Do Perceptions of Supervisors' Safety Responses Mediate the Relationship between Perceptions of the Organizational Safety Climate and Incident Rates in the Construction Supply Chain? *Journal of Construction Engineering & Management.* 2012;138(2):234–41.
- Lingard H, Zhang R, Harley J, Blismas N, Wakefield. *Health and safety culture.* RMIT University; 2014 8.
- *. Lingard HC, Cooke T, Blismas N. Group-level safety climate in the Australian construction industry: within-group homogeneity and between-group differences in road construction and maintenance. *Construction Management and Economics.* 2009;27(4):419–32.
- *. Lingard HC, Cooke T, Blismas N. Safety climate in conditions of construction subcontracting: a multi-level analysis. *Construction Management and Economics.* 2010;28(8):813–25.
- *. Lopez del Puerto C, Clevenger CM, Boremann K, Gilkey DP. Exploratory study to identify perceptions of safety and risk among residential Latino construction workers as distinct from commercial and heavy civil construction workers. *Journal of Construction Engineering & Management.* 2013;140(2).
- *. Martin H, Lewis TM. Pinpointing Safety Leadership Factors for Safe Construction Sites in Trinidad and Tobago. *Journal of Construction Engineering & Management.* 2013;140(2):04013046–01–04013046–10.
- *. Meliá JL, Mearns K, Silva SA, Lima ML. Safety climate responses and the perceived risk of accidents in the construction industry. *Saf Sci.* 2008;46:949–58.
- Menzel NN, Gutierrez AP. Latino worker perceptions of construction risks. *AJIM.* 2010;53(2):179–87.
- *. Mohamed S. Safety climate in construction site environments. *Journal of Construction Engineering & Management.* 2002;128(5):375–84.
- *. Molenaar K, Brown H, Caile S, Smith R. Corporate culture: A study of firms with outstanding construction safety. *Professional Safety.* 2002;7:18–27.
- *. Molenaar K, Park J, Washington S. Framework for measuring corporate safety culture and its impact on construction safety performance. *Journal of Construction Engineering & Management.* 2009;135(6):488–96.
- Nahrgang JD, Morgeson FP, Hofmann DA. Safety at Work: A Meta-Analytic Investigation of the Link Between Job Demands, Job Resources, Burnout, Engagement, and Safety Outcomes. *J Appl Psychol.* 2011;96(1):71–94. [PubMed: 21171732]
- Neal A, Griffin MA, Hart PM. The impact of organizational climate on safety and individual behaviour. *Saf Sci.* 2000;34:99–109.
- *. Niskanen T. Safety climate in road administration. *Saf. Sci* 1994;17:237–255.
- *. Pousette A, Larsson S, Törner M. Safety climate cross-validation, strength and prediction of safety behaviour. *Saf Sci.* 2008;46(3):398–404.
- *. Probst TM, Brubaker TL, Barsotti A. Organizational injury rate underreporting: The moderating effect of organizational safety climate. *J Appl Psychol.* 2008;93(5):1147–54. [PubMed: 18808232]
- Sammer CE, Lykens K, Singh KP, Mains DA, Lackan NA. What is Patient Safety Culture? A Review of the Literature. *Journal of Nursing Scholarship.* 2010;42(2):156–65. [PubMed: 20618600]
- *. Shen Y, Tuuli MM, Xia B, Yong-Koh T, Rowlinson S. Toward a model for forming psychological safety climate in construction project management. *International Journal of Project Management.* 2014;33(1):223–235.

- *. Shoji T, Egawa Y. The structure of safety climates and its effects on workers' attitudes and work safety at Japanese construction work sites. *J UOEH*. 2006;28(1):29–43. [PubMed: 16541738]
 - *. Siu O-L, Phillips DR, Leung T-W. Safety climate and safety performance among construction workers in Hong Kong. *Accid Anal Prev*. 2004;36(3):359–66. [PubMed: 15003580]
 - *. Sokas RK, Emile J, Nickels L, Gao W, Gittleman JL. An intervention effectiveness study of hazard awareness training in the construction building trades. *Public Health Reports*. 2009;124 Suppl 1:160–8.
 - *. Sparer EH, Murphy LA, Taylor KM, Dennerlein JT. Correlation between safety climate and contractor safety assessment programs in construction. *AJIM*. 2013;56(12):1463–72.
 - *. Sunindijo RY, Zou PXW. Conceptualizing Safety Management in Construction Projects. *Journal of Construction Engineering & Management*. 2013;139(9):1144–53.
 - *. Teo EAL, Feng Y. The indirect effect of safety investment on safety performance for building projects. *Architectural Science Review*. 2011;54(1):65–80.
 - *. Tholen SL, Pousette A, Törner M. Causal relations between psychosocial conditions, safety climate and safety behaviour - A multi-level investigation. *Saf Sci*. 2013;55:62–9.
 - *. Zhou Q, Fang D, Wang X. A method to identify strategies for the improvement of human safety behavior by considering safety climate and personal experience. *Saf Sci*. 2008;46(10):1406–19.
 - *. Zhou Q, Dongping F, Mohamed S. Safety climate improvement: Case study in a Chinese construction company. *Journal of Construction Engineering & Management*, 2011;137(1):86–95.
- Zohar D. Safety climate in industrial organizations: Theoretical and applied implications. *J Appl Psychol*. 1980;65:96–102. [PubMed: 7364709]
- Zohar D. A group-level model of safety climate: Testing the effect of group climate on micro-accidents in manufacturing jobs. *J Appl Psychol*. 2000;85:587–96. [PubMed: 10948803]
- Zohar D. Safety climate: Conceptual and measurement issues In: Quick JC, Tetrick LE, editors. *Handbook of Occupational Health Psychology*. 2nd ed. Washington DC: APA; 2011.
- *. Zou PXW. Fostering a strong construction safety culture. *Leadership and Management in Engineering*. 2011;11:11–22.




Figure 1.
Articles describing safety climate in construction published between 1991 and 2014

Table 1.

Frequency of safety climate indicators most commonly measured in 56 construction specific safety climate articles

Safety climate indicator	#	%
General management commitment to safety	30	53.5%
Safety policies, resources and training	28	50.0%
Supervisor commitment to safety	21	37.5%
General organizational commitment to safety	20	35.7%
Co-workers commitment to safety	18	32.1%
Safety communication	16	28.5%
Worker involvement in safety	13	23.2%
Risk appraisal and risk taking	9	14.3%

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 2.

Recommendations for advancing safety climate research and practice in construction

1	<p>Create and use a shared, construction-specific definition of safety climate *</p> <ul style="list-style-type: none"> • Based on worker and management perceptions • Contractor-specific and project-specific definitions
2	<p>Develop construction-specific measures of safety climate *</p> <ul style="list-style-type: none"> • Consider relevance to construction work • Use agreed-upon indicators • Use appropriate question referents (e.g., supervisor, jobsite, general contractor, etc.) • Use rigorous survey research methods • Consider various evaluation tools - Likert scales or rubrics
3	<p>Test construction-specific indicators of safety climate for reliability and validity *</p> <ul style="list-style-type: none"> • Use rigorous survey analytic methods • Test relationship with leading and lagging indicators of safety and health <p style="margin-left: 40px;"><i>Objective outcomes</i></p> <ul style="list-style-type: none"> - Injury and illness records (e.g., OSHA logs or workers' compensation claims) - Safety and health performance records (e.g., site safety audit scores) <p style="margin-left: 40px;"><i>Subjective outcomes</i></p> <ul style="list-style-type: none"> - Company or site focused (e.g., company and site safety leadership) - Employee focused (e.g., near misses) <ul style="list-style-type: none"> • Use prospective study designs

* Construction-specific issues to consider for each recommendation: 1) Transience of the industry, 2) Subcontracting, 3) Work organization, and 4) Induction/acclimation process