



January 25, 2024

Stay Alert for Measles Cases

Between December 1, 2023 and January 23, 2024, the Centers for Disease Control and Prevention (CDC) was notified of 23 confirmed U.S. [cases](#) of measles, including seven direct importations of measles by international travelers and two outbreaks with more than five cases each. Most of these cases were among children and adolescents who had not received a measles-containing vaccine ([MMR](#) or MMRV), even if age eligible.

Due to the recent cases, healthcare providers should be on alert for patients who have: (1) febrile rash illness and [symptoms consistent with measles](#) (e.g., cough, coryza, or conjunctivitis), and (2) have recently traveled abroad, especially to countries with ongoing measles [outbreaks](#). Infected people are contagious from 4 days before the rash starts through 4 days afterwards.

Measles cases often originate from unvaccinated or undervaccinated U.S. residents who travel internationally and then transmit the disease to people who are not vaccinated against measles. The increased number of measles importations seen in recent weeks is reflective of a rise in global measles cases and a growing [global threat](#) from the disease.

Recommendations for Healthcare Providers

- 1. Isolate:** Do not allow patients with suspected measles to remain in the waiting room or other common areas of the healthcare facility; isolate patients with suspected measles immediately, ideally in a single-patient airborne infection isolation room (AIIR) if available, or in a private room with a closed door until an AIIR is available. Healthcare providers should be adequately [protected against measles](#) and should adhere to [standard and airborne precautions](#) when evaluating suspect cases regardless of their vaccination status.
- 2. Notify:** Immediately notify local or state health departments about any suspected case of measles to ensure rapid testing and investigation. Measles cases are reported by states to CDC through the [National Notifiable Diseases Surveillance System \(NNDSS\)](#) and can also be reported directly to CDC at measlesreport@cdc.gov.
- 3. Test:** Follow [CDC's testing recommendations and collect](#) either a nasopharyngeal swab or throat swab for reverse transcription polymerase chain reaction (RT-PCR), as well as a blood specimen for serology from all patients with clinical features compatible with measles. RT-PCR is available at CDC, at many state public health laboratories, and through the [APHL/CDC Vaccine Preventable Disease Reference Centers](#).

4. **Manage:** In coordination with local or state health departments, provide appropriate measles post-exposure prophylaxis (PEP) to close contacts without evidence of immunity, either MMR or immunoglobulin. The [choice of PEP](#) is based on elapsed time from exposure or medical contraindications to vaccination.
5. **Vaccinate:** Make sure all your patients are up-to-date on measles vaccine, especially before international travel. People 6 months of age or older who will be [traveling internationally](#) should be protected against measles.

For More Information:

- [For Healthcare Professionals – Diagnosing and Treating Measles | CDC](#)
- [Interim Infection Prevention and Control Recommendations for Measles in Healthcare Settings | CDC](#)
- [Measles – Vaccine Preventable Diseases Surveillance Manual | CDC](#)
- [Plan for Travel – Measles | CDC](#)
- [Measles Lab Tools | CDC](#)
- [Measles Serology | CDC](#)
- [Measles Specimen Collection, Storage, and Shipment | CDC](#)
- [CDC Measles Toolkit for Health Departments](#)

The Office of Emergency Risk Communication in the Office of Communications is responsible for the management of all COCA Products.

For information about this update or other clinical issues, or to send your feedback, please contact us at coca@cdc.gov

[Clinician Outreach and Communication Activity](#)—resources for healthcare providers

[COCA RSS Feed](#)—subscribe to be notified of conference calls, updates, and CDC guidance for health providers

[Crisis & Emergency Risk Communication Training](#)—training program that draws from lessons learned during public health emergencies, and incorporates best practices from the fields of risk and crisis communication

[Health Alert Network](#)—CDC's primary method of sharing cleared information about urgent public health incidents with public information officers; federal, state, territorial, and local public health practitioners; clinicians; and public health laboratories



CDC and HHS logos are the exclusive property of the Department of Health and Human Services and may not be used for any purpose without prior express written permission. Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

Links to non-federal organizations are provided solely as a service to our users. Links do not constitute an endorsement of any organization by CDC or the federal government, and none should be inferred. CDC is not responsible for the content of the individual organizations.



1600 Clifton Rd Atlanta, GA 30329 1-800-CDC-INFO (800-232-4636) TTY: 888-232-6348

[Questions or Problems](#) | [Unsubscribe](#)