

The Gap Between Tools and Best Practice: An Analysis of Safety Prequalification Surveys in the Construction Industry

NEW SOLUTIONS: A Journal of
Environmental and Occupational
Health Policy
2019, Vol. 28(4) 683–703
© The Author(s) 2018
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/1048291118813583
journals.sagepub.com/home/new



Kang-Hung Liu¹, Jamie Tessler²,
Lauren A. Murphy²,
Chien-Chi Chang¹, and
Jack T. Dennerlein²

Abstract

This study characterizes safety prequalification surveys currently in use in the construction industry to identify approaches that include leading indicators of worker safety performance. We collected prequalification surveys available in the public domain from internet searches, construction company websites, published literature, and construction industry partners. We utilized a conceptual framework, based on safety theory and best practices, to categorize survey questions. Fifty-two prequalification surveys were identified containing 112 unique questions. Most included questions related to lagging indicators (83 percent), safety management leadership (75 percent), and worker training (60 percent). Safety management system elements such as hazard prevention and control, program evaluation and improvement, and coordination and communication were notably absent in 90 percent of the surveys.

¹Department of Industrial Engineering and Engineering Management, National Tsing Hua University, Hsinchu, Taiwan

²Department of Physical Therapy, Movement, and Rehabilitation Sciences, Bouvé College of Health Sciences, Northeastern University, Boston, MA, USA

Corresponding Author:

Jack T. Dennerlein, Department of Physical Therapy, Movement, and Rehabilitation Sciences, Bouvé College of Health Sciences, Northeastern University, Robinson Hall, Room 301, 360 Huntington Avenue, Boston, MA 02115, USA.

Email: j.dennerlein@northeastern.edu

There was little consistency in the surveys available concerning leading indicators of safety. Only a small number of surveys currently in use incorporate all the elements of best practices associated with robust safety management systems.

Keywords

prequalification, construction safety, leading indicators, safety assessment

Introduction

In an effort to reduce risk, building project owners, general contractors, and construction management companies utilize subcontractor prequalification procedures as part of the bidding process to select contractors and subcontractors for a construction project.¹⁻³ These procedures can evaluate numerous criteria to assess the capabilities of the subcontractor candidates.^{3,4} In addition to cost, quality, and time, health and safety performance is one of the key attributes in subcontractor selection.^{2,5,6} Subcontractor selection is also claimed as one of the most effective risk-reduction elements among safety management programs.⁷ However, the actual practices and criteria of the procedures to assess a subcontractor's safety have not been described or characterized, especially within the framework of best safety practices.

In terms of assessing a company's safety performance, examining injury records would appear to suffice; however, there are several issues associated with simply measuring injury outcomes that limit the information they provide about the work environment.⁸ Counting past injuries assumes that all of the injuries that occurred were actually reported. Underreporting injuries occurs frequently, especially in smaller and in construction companies.^{9,10} In addition, assuming the same injury rate per full-time equivalent injuries will occur less frequently in smaller companies compared to larger companies. The other measure frequently included in the prequalification process is the Experience Modification Rate (EMR), an insurance premium indicator based on the assumption that prior (three years) injury claims will predict future costs. Historically, health and safety records and EMR have been treated as effective prequalification criteria for construction project success.¹¹

In contrast, leading indicators are antecedents of injuries and seek to identify the upstream root causes of work-place incidents. They include the presence of uncontrolled hazards as well as organizational policies, programs, and practices that monitor, control, and eliminate these hazards. These leading indicators are present every day within an organization and can be measured and hence may be better indicators of safety performance. There is a large range of leading indicators described in the research literature including management

commitment, employee involvement, subcontractor management, safety climate, and many others.^{7,12-14} From a best practice point of view, these indicators follow common themes that can be organized into a similar structure.¹⁵ For example, the Occupational Safety and Health Administration's (OSHA) proposed injury and illness prevention program, which was withdrawn and revisited in a 2012 white paper,¹⁶ describes major elements of successful programs, which include management leadership, worker participation, hazard identification and assessment, hazard prevention and control, education and training, and program evaluation and improvement.

The interest in prequalification surveys that use leading indicators has gone up considerably in recent years.¹⁷ Until recently, the methods to examine a contractor's organizational policies, programs, and practices had long been done through nonstandardized, time-consuming and costly procedures such as one-on-one interviews during the bidding and contracting process. Organizational surveys that provide measures of leading indicators such as the firm's safety management systems (SMSs) can help initiate and contribute to the process.

The goal of this study was to characterize, describe, and document current prequalification surveys to assess a subcontractor's safety performance. Our approach was to find all publicly available surveys with a focus on comprehensive programs that address SMSs. These surveys were identified through discussions with safety professionals and researchers, literature reviews, and internet searches. From the identified tools, we catalogued all relevant safety questions first by leading and lagging indicators and then into the framework of safety organizational policies, programs, and practices. Through this process, our other goal was to identify gaps between prequalification survey metrics and leading indicators grounded in organizational theories.

Methods

Identifying Tools and Procedures

We first identified prequalification surveys currently in use in construction firms in the United States. These surveys were developed and used by general contractors, owners, as well as third-party companies providing the prequalification service for owners and subcontractors.

To identify surveys used by commercial contractors, we requested prequalification surveys from large commercial contractors in the United States or downloaded them from their web site. The largest one hundred commercial contractors were identified through 2015 construction industry reports.¹⁸ The number of companies was reduced as a result of company mergers and bankruptcies, and a total of eighty-six companies remained. Additional companies were added to the list from area construction firms, and their parent companies

identified through interviews of local safety managers. An internet search ensued to identify company web sites and the presence and availability of prequalification surveys online for subcontractors seeking to obtain work with this firm. When a barrier existed, such as a required password, the company was both e-mailed and telephoned to request access to the prequalification surveys in support of our research study.

We identified prequalification surveys utilized by governmental (federal, state, and municipal) agencies and nonprofit organizations. These surveys were identified through internet searches or interviews with construction safety advocates who worked with government agencies. Two third-party providers of commercial construction prequalification provided us with the questions within the surveys that they include in their services.

We also sought to identify surveys through a search of the peer-reviewed safety literature; however, the articles found did not provide enough detail to be included in the review. The search applied a set of keywords to ScienceDirect, EBSCOHost, Web of Science, PubMed, GoogleScholar, and ProQuest databases. We found five articles that included safety elements. The specific safety-oriented questions were absent in these surveys and hence were not included in this review.

Identifying, Describing, and Categorizing Questions

Once collected, we identified all the unique questions contained in all the tools and procedures. To do so, we created a list of questions from the longest survey. Then we examined each question from the other surveys, comparing the item to the list of questions to see if the question or similar question was already present. If not, it was added to the list. Once we had a complete list of questions, we identified the use of each question across all prequalification surveys. Once identified, we categorized each unique question using the hierarchy structure (Figure 1).

The top level of the structure is policies, which ensure that all important factors such as finance, quality, schedule, environment, safety, and health are aligned with applicable regulatory and corporate requirements as well as the values of the organization. Procedures, the second level, are specific methods to meet the policy requirements in day-to-day operations of the organization. Work instructions, the third level, are the specific activities related to procedures and programs in the form of technical manuals or guidelines. The lowest level, records, includes performance and inspection results.¹⁹ From the safety and health perspective, the corresponding structure of documentation consists of SMSs, specific safety programs, and safety outcomes.

Within the SMSs questions, we further categorized the questions into sub-categories based on elements of successful programs identified in the OSHA




Figure 1. Document hierarchy of safety and health.

proposed injury and illness prevention program. These subcategories included management leadership, worker participation, hazard identification and assessment, hazard prevention and control, education and training of all levels of employees, program evaluation and continual improvement, and coordination and communication for employers on multiemployer worksites (Table 1).

For the safety program category, we included questions regarding specific hazard and control programs. These programs meet compliance with 29 CFR Part 1910 “Occupational Safety and Health Standards” and Part 1926 “Safety and Health Regulations for Construction.” Examples of such programs include fall protection; ladder safety; signs, signals, and barricades; and materials handling and many other programs.

Finally, we identified questions or data within safety outcomes based on the lagging indicators typically used to describe a company’s safety performance. These included data from OSHA’s Form 300A, Summary of Work-Related Injuries and Illnesses, which includes recordable cases, days away, restricted or transferred, fatalities, and injuries and illnesses. In addition to OSHA’s Form 300A, first-aid injuries, near misses, job site safety inspections, EMR, and worker safety perception surveys were also considered as safety outcomes.²⁰ Once categorized, we compiled the prevalence of question categories across the different surveys to identify gaps across this framework in the current tools.

Table I. Subcategories for Safety Management Systems Derived From Successful Programs¹⁶.

Subcategory	Description
Management leadership	Management provides the leadership, vision, and resources needed to implement an effective safety and health program.
Worker participation	Workers are involved in establishing, operating, evaluating, and improving the safety and health program. All workers at a worksite should participate, including those employed by contractors, subcontractors, and temporary staffing agencies.
Hazard identification and assessment	A set of processes used to identify and evaluate both existing and potential hazards on a worksite.
Hazard prevention and control	The methods used to control or eliminate the hazards are identified. Effective controls can protect workers from hazards; help avoid injuries, illnesses, and incidents; minimize or eliminate safety and health risks; and help employers provide workers with safe and healthful working conditions.
Education and training	Activities for informing workers and managers about workplace hazards and controls so they can work more safely and are more productive. In addition, providing workers and managers with a greater understanding of the safety and health program itself, so that they can contribute to its development and implementation.
Program evaluation and improvement	Safety and health program should be evaluated initially to verify that it is being implemented as intended. Periodically or annually, employers need to step back and assess what is working and what is not, and whether the program is on track to achieve its goals.
Coordination and communication	Within a multiemployer environment, companies need to consider how work and safety activities affect the safety of other employers and workers at the site.

Results

A total of sixty-three prequalification surveys that evaluated contractor safety were identified. Some surveys assessed subcontractor safety performance post-hire and were not intended for use during the prequalification process. Subsequently, we removed these surveys, leaving a total of fifty-two. On average, the surveys had fourteen questions, with over half of the surveys having more than ten. The longest survey had sixty-three questions.

Among these fifty-two prequalification surveys, a total of 112 unique questions were identified (Table A1). Fifty of the 112 questions identified were

Table 2. Prequalification Questions Distribution.

Categories	Number of relevant questions	Proportion of identified questions
Safety Management Systems (Table A-I)	50	44.6%
Management leadership	11	9.8%
Worker participation	6	5.4%
Hazard identification and assessment	8	7.1%
Hazard prevention and control	4	3.6%
Education and training	14	12.5%
Program evaluation and improvement	3	2.7%
Coordination and communication	4	3.6%
Specific Safety Programs (Table A-II)	39	34.8%
Safety outcomes	6	5.4%
<i>Other (Table A I)</i>	17	15.2%
Human resource	11	9.8%
Environmental	3	2.7%
OSHA partnership	3	2.7%

Note. OSHA = Occupational Safety and Health Administration.

leading indicators associated with SMSs (Table 2). There were fourteen questions related to worker safety training. Other questions addressed leadership and hazard identification and assessment. Questions categorized into management leadership included questions regarding a written safety policy, defining safety goals, allocating resources, and safety accountability assignment.²¹ The corresponding questions identified in the surveys included: *Do you have a safety policy statement endorsed by top management?* *Do you have corporate safety goals and objectives?* *Do you have a defined budget for safety,* and *Do you have a safety accountability program?* Furthermore, questions like *Do your supervisors hold safety meetings?* and *Do you employ full-time safety supervisors on all job sites?* were also presented in half of the surveys. The responses to almost all of the questions were simply yes/no.

The lagging indicators included seven safety outcomes: OSHA citations, EMR, recordable cases, fatalities, days away, restricted or transferred, and violations. Thirty-nine questions addressed specific safety and hazard control programs (Table A2). Many of these were related to adherence to specific OSHA standards, such as lockout/tagout, hearing conservation programs, and falls.

In addition, prequalification surveys included questions related to human resources hiring policies, environmental programs, and OSHA partnerships. The questions found in the human resource category asked about return-to-work programs, drug and alcohol policies, sexual harassment programs, and work fitness assessments. The questions related to the environmental

category asked about environmental protection programs and Environmental Protection Agency violations. The last category concerned participation of OSHA programs such as the Voluntary Protection Programs, the Safety and Health Achievement Recognition Program, and the OSHA Strategic Partnership Program.

The fifty-two prequalification surveys came from six different types of users (Table 3). About half were from commercial construction companies and were available on their web pages. Twenty-eight prequalification surveys from construction companies were identified. Most of those companies were medium to large, and nine were in the top one hundred construction companies by revenue in the United States.²¹ Most public agencies with available prequalification were departments of transportation, which accounted for 15 percent of the surveys identified. An additional 27 percent of sources were other owners, such as energy companies, universities, and public agencies. Two prequalification surveys were provided by third-party companies.

The overall categories included in the surveys varied from survey to survey (Tables 4–6). No single prequalification survey included all twelve categories. In terms of SMSs, the prequalification surveys differed across the six user types

Table 3. Number of Surveys Distributed by User Type.

Source of prequalification survey	Number	Percent (%)
Construction company (GC or CM)	28	53
Transportation (owner)	8	15
Energy company (owner)	6	12
Academic institutions (owner)	5	10
Public agency (owner)	3	6
Third-party service	2	4
Total	52	

Table 4. Number of Safety Management System Questions.

User type	Median	Maximum	Number with no SMS
General contractors (28)	5	13	3 (11%)
Transportation agency (10)	0	8	6 (60%)
Energy company (6)	7.5	17	0
Academic institution (5)	4	10	2 (40%)
Public agency (3)	1	8	1 (33%)
Third-party agency (2)	18.5	21	0
Total	5	21	12 (23%)

Note. SMS = Safety management system.

Table 5. Number (and Percent) of Surveys With Questions Related to Each of the Subcategories of Safety Management System Questions.

User type	Management leadership	Worker participation	Education and training	Hazard identification and assessment	Hazard prevention and control	Program evaluation and improvement	Coordination and communication
General contractors (28)	25 (89)	4 (14)	18 (64)	16 (57)	2 (7)	2 (7)	2 (7)
Transportation agency (10)	2 (25)	1 (13)	2 (25)	0 (0)	1 (13)	0 (0)	0 (0)
Energy company (6)	5 (83)	3 (50)	6 (100)	5 (83)	0 (0)	0 (0)	1 (17)
Academic institution (5)	3 (60)	2 (40)	2 (40)	2 (40)	1 (20)	1 (20)	0 (0)
Public agency (3)	2 (67)	0 (0)	1 (33)	1 (33)	0 (0)	1 (33)	0 (0)
Third-party agency (2)	2 (100)	2 (100)	2 (100)	2 (100)	1 (50)	1 (50)	1 (50)
Total (52)	39 (75)	12 (23)	31 (60)	26 (50)	5 (10)	5 (10)	4 (8)

Table 6. Number (and Percent) of Surveys With Non-Safety Management System Questions.

User type	Safety outcomes (e.g., EMR)	Safety programs (e.g., fall protection)	Environmental programs	Human resource (e.g., RTW)	OSHA Partnerships
General contractors (28)	26 (93)	19 (68)	4 (14)	16 (57)	1 (4)
Transportation agency (10)	4 (50)	2 (25)	0 (0)	2 (25)	0 (0)
Energy company (6)	4 (67)	6 (100)	2 (33)	4 (67)	0 (0)
Academic institution (5)	5 (100)	2 (40)	1 (20)	2 (40)	0 (0)
Public agency (3)	2 (67)	1 (33)	1 (22)	1 (33)	0 (0)
Third-party agency (2)	2 (100)	2 (100)	2 (100)	2 (100)	1 (50)
Total (52)	43 (83)	32 (62)	10 (19)	27 (52)	2 (4)

Note. OSHA = Occupational Safety and Health Administration; RTW = Return to Work; EMR = experience modification rate.

with third-party agencies having the most questions (Table 4). Twelve of the fifty-two prequalification surveys (23 percent) did not include questions concerning SMSs (Table 4). Fewer than 10 percent of prequalification surveys had questions about hazard prevention and control, program evaluation and improvement, and coordination and communication.

Most surveys (83 percent) included items pertaining to lagging indicators or safety outcomes (Table 6). Ninety-three percent of the surveys from construction companies included safety outcomes. However, only 50 percent of surveys required by transportation agencies had questions about safety outcomes, and the remaining 50 percent (four tools used by departments of transportation) had no question related to any of the twelve safety categories.

Discussion

The main goals of this study were to characterize the prequalification surveys currently in use and to identify gaps between these surveys and best practices grounded in organizational safety theories. We compiled a list of questions from the prequalification surveys and characterized them with respect to lagging or leading indicators within a best-practices framework. Almost every survey included lagging safety indicators such as injury rates, OSHA citations, and EMR. Many surveys also included leading indicators; however, there was a large number of surveys that did not include any questions regarding SMSs.

Lagging indicators were reported fairly consistently across the surveys. Measurements such as EMR and injury rates are well-defined concepts and metrics. Standardized methods exist to calculate and to report them in a prequalification survey. In contrast, there were many more and different questions regarding leading indicators.

The large variability in the design and wording of questions addressing leading indicators across the different surveys suggests that there is little consistency in how to measure them when and if a survey attempts to capture these factors. This may be due to several issues including different attitudes and beliefs about these indicators. Questions regarding training elucidate this idea. For example, a typical question about training and education is *Do you have a new employee-training/orientation program?* But training is not only for front-line workers as another question from a different survey asks: *Does your company conduct additional health & safety training for supervisors, or foremen?*

While many of the prequalification surveys did contain leading indicators, there were some noticeable gaps when compared to best practices and essential components of safety and health programs. The items that received little attention in many of the surveys were program evaluation and improvement, employee involvement, and safety communication. Safety communication is an important aspect of establishing a good safety climate.^{22,23} Additionally, communication and coordination are essential within multiple employer sites to ensure that all organizations are on board with setting safety as a value.^{24,25} Furthermore, worker participation and involvement has demonstrated improved outcomes for safety.^{26,27} Finally, none of the surveys described measuring worker perceptions of the work environment that can be used to measure the efficacy of safety communications as well as provide an evaluation of the safety program.

Nearly all of the surveys used by construction companies included lagging indicators of safety performance. These indicators provide important data, especially when they indicate higher injury rates.²⁸ Lagging indicators also provide motivation to improve SMSs and when root cause analysis is conducted can inform system improvements. Using both leading and lagging indicators can provide a better overall assessment of a company's performance.

The differences observed across the different types of organizations (contractors, third-party, and owners) may also reflect their different priorities. The surveys from the two third-party organizations had the largest number of questions related to SMSs. These organizations appear to be leading the way for including more leading indicators of safety. The surveys from the energy companies may be more associated with these groups being more focused on process safety.²⁸ Similarly, departments of transportation had very few questions regarding SMSs.

Only a few prequalification surveys were described in the peer-reviewed literature, and their emphasis was on financial and performance measures in lieu of safety. There were no published studies demonstrating the capability of these surveys to predict the future safety performance of the companies. While it may be unclear whether such surveys actually provide a prediction, they may provide a method to assess a company's current capabilities and identify weaknesses that can improve worker safety and health.²⁹

From a theoretical point of view, leading indicators by definition should predict future safety performance. However, the variability in the types of leading indicators included in these organizational surveys indicates that there is no consensus on their capability of predicting future performance. Larger scale studies are needed to examine which factors can indicate future safety performance and, if so, what might be the best way to measure them.

By no means is this descriptive review comprehensive. The survey items evaluated were available in the public domain or obtained through research partners. Other tools could not be obtained due to internet firewalls, lack of response from construction companies contacted by telephone, or due to proprietary constraints. Therefore, other tools may have different items and constructs not captured in this review.

The overall assumption of this study and in the commercial construction industry is that contractor prequalification aids in the selection of safer contractors. Additional research to support this assumption is merited. Our anecdotal experience with general contractors suggests that a thorough prequalification process enables them to leverage the quality of the subcontractors' safety programs. Thus, the prequalification process helps the subcontractors to identify lapses in their safety programs and presents opportunities for enhancement. We did not systematically explore how contractors themselves view these different organizational surveys and if they feel the surveys are useful.

Furthermore, prequalification surveys can be one part of the prequalification process. Other methods exist such as the review of safety manuals, interviews, and detailed meetings between contractors. Using multiple assessment methods, especially when their results converge, provides a more comprehensive overview of a company's safety performance. Nonetheless, organizational surveys that include leading indicators can provide a good overview of a company's commitment to safety and health.^{30,31}

Conclusion

Current and available safety prequalification surveys include a mixture of leading and lagging indicators. Most include measures of injury rates and company EMR. Many did include some measure of a firm's SMSs; however, several elements of best practices were notably absent in many of the surveys. Of the surveys that incorporated all of the best practice elements, only two considered most of the important leading indicators in best practice guidelines. Employer and/or regulatory policy initiatives designed to require safety prequalification processes for construction contractors¹⁷ or through the issuing of building permits³² should include more leading indicators in their assessment of contractors.

Appendix

Table A1. Survey Questions and Their Frequency in the 52 Surveys.

No.	Category	Response	Questions	Number of surveys
1	Management Leadership	Yes/No	Have a defined set of goals related to safety?	30
2	Management Leadership	Yes/No	Have a full-time safety manager on staff?	25
3	Management Leadership	Yes/No	Have defined safety meetings?	25
4	Management Leadership	Yes/No	Have a defined management leadership and involvement program?	13
5	Management Leadership	Yes/No	Have a defined incentive and/or recognition program?	11
6	Management Leadership	Yes/No	Have a defined accountability program for observed infractions of your company's safety and health program?	8
7	Management Leadership	Yes/No	Have a policy statement that is endorsed by the company president, owner or executive management?	8
8	Management Leadership	Yes/No	Have a defined employee performance evaluation process that includes safety performance?	5
9	Management Leadership	Yes/No	Besides written policies, what does senior management do to actively promote your safety program?	1
10	Management Leadership	Yes/No	Do the contractors supervisors mention safety as part of every work assignment?	1
11	Management Leadership	Yes/No	Have a defined budget for safety?	1
12	Worker Participation	Yes/No	Have a defined program for the communication of safety related items (incidents, accidents, successes, program changes, etc.)?	8
13	Worker Participation	Yes/No	Have a defined employee involvement plan (safety committee, feedback program, etc.)?	6
14	Worker Participation	Short Answer	How are safety incidents communicated to management?	2
15	Worker Participation	Yes/No	Are the contractor's employees able to communicate all safety and health problems to their management?	1
16	Worker Participation	Yes/No	Have or make use of safety committees?	1

(continued)

Table A1. Continued

No.	Category	Response	Questions	Number of surveys
17	Worker Participation	Yes/No	Please check the positions that are required to attend on-site safety meetings (Laborers; Operators; Field Supervisors; Others).	1
18	Hazard Identification and Assessment	Yes/No	Have an incident investigation program?	22
19	Hazard Identification and Assessment	Yes/No	Have an inspection and hazard identification program?	19
20	Hazard Identification and Assessment	Yes/No	Do you have a program to track near-miss incidents / After an incident, are required reports submitted to the owner within 48 hours?	3
21	Hazard Identification and Assessment	Short Answer	How does senior management/project management participate in incident investigations?	1
22	Hazard Identification and Assessment	Yes/No	Are accident reports distributed to management?	1
23	Hazard Identification and Assessment	Yes/No	Are job observations, such as job safety analyses conducted?	1
24	Hazard Identification and Assessment	Yes/No	Is a meeting held with the contractor at the end of the project to review safety performance?	1
25	Hazard Identification and Assessment	Yes/No	What category of incident requires a written report? (Fatalities; OSHA-recordable Incidents; Vehicle accidents; Equipment damage; Spills; Fires; Near misses; Contractor injury resulting from owner action or equipment)	1
26	Hazard Prevention and Control	Yes/No	Routine inspections of PPE, safety equipment, tools?	3
27	Hazard Prevention and Control	Yes/No	Have a follow up system to track items identified during safety inspections?	2
28	Hazard Prevention and Control	Short Answer	If a near miss incident is reported, what corrective measures have been put into place to prevent future incidents?	1
29	Hazard Prevention and Control	Yes/No	Does the safety rep. have sufficient authority to implement change?	1
30	Education and Training	Yes/No	Have an employee training and development program for workforce, foreman, superintendent, and managers?	25

(continued)

Table A1. Continued

No.	Category	Response	Questions	Number of surveys
31	Education and Training	Yes/No	Have a new hire orientation program?	19
32	Education and Training	Number or Rate	% or # of foremen (or other subcontractor personnel) who have had OSHA 10 or 30 training (could be multiple questions).	3
33	Education and Training	Yes/No	Annual refresher training.	2
34	Education and Training	Yes/No	Can you provide documentation of employee training, if required?	2
35	Education and Training	Yes/No	Specific health and safety training program for foreman?	2
36	Education and Training	Short Answer	What is the job title of the person who conducts the safety trainings?	1
37	Education and Training	Yes/No	Are language barriers addressed in your HSE programs? If yes, what is the common language? / In what languages are your HSE policies and procedures written? / Has your company had an incident where the casual factor was a language barrier?	1
38	Education and Training	Yes/No	Are policies/procedures/etc. communicated in a language understood by the employees?	1
39	Education and Training	Yes/No	Do you request orientations upon arrival at a new worksite.	1
40	Education and Training	Yes/No	Does contractor have a procedure to identify which contractor personnel are not current in their training, which demonstrates that up-to-date training of contractor personnel is a priority, and which includes a plan to achieve 100% compliance?	1
41	Education and Training	Yes/No	Does the contractor ensure that its newly assigned workers are directly supervised by a competent worker?	1
42	Education and Training	Yes/No	Does the contractor provide training for its managers and supervisors to ensure they are capable of administering the safety program?	1
43	Education and Training	Yes/No	Training comprehension tested.	1
44	Program Evaluation and Improvement	Yes/No	Have an annual self-evaluation program?	4

(continued)

Table A1. Continued

No.	Category	Response	Questions	Number of surveys
45	Program Evaluation and Improvement	Yes/No	Is there an annual updating of the written safety program	1
46	Program Evaluation and Improvement	Yes/No	Is there documentation on file to verify that the training has been completed/ Does the documentation include employees' names, course dates, instructors' names, the length of the courses, and outlines or descriptions of the course content?	1
47	Coordination and Communication	Yes/No	Do you require documented safety meeting for your employees? Field Supervisors? New Hires? Subcontractors/ Vendors?	2
48	Coordination and Communication	Yes/No	Does your company review the safety management systems of your subcontractors?	2
49	Coordination and Communication	Yes/No	Does contractor have mandatory attendance by all contractor and subcontractor personnel, documentation of attendance by contractor and subcontractor personnel, documentation of agenda items which shall include facility and job hazards, incidents, near-misses, site-specific safety and health rules, and site-specific procedures?	1
50	Coordination and Communication	Yes/No	Willingness to adopt fully the project specific safety program of the general contractor?	1
51	Human Resource	Yes/No	Does your company have a substance abuse policy that prohibits drug and alcohol use?	21
52	Human Resource	Yes/No	Does your company require candidate employees to submit to a drug test before being hired?	13
53	Human Resource	Yes/No	Does your company have a reasonable suspicion drug and alcohol-testing program?	10
54	Human Resource	Yes/No	Does your company perform drug and alcohol testing following EVERY employee work-related injury or accident?	10

(continued)

Table A1. Continued

No.	Category	Response	Questions	Number of surveys
55	Human Resource	Yes/No	Does your company have a 'return to work' program for employees who have been injured?	7
56	Human Resource	Yes/No	Do you have short service employee (<6month) safety program?	3
57	Human Resource	Yes/No	Does the company have the following staff: certified safety professional, project safety professional, industrial hygienist, EMT/paramedic, contract with an occ doc	2
58	Human Resource	Yes/No	Have employees been fit-tested quantitatively or qualitatively?	1
59	Human Resource	Yes/No	Please check the positions below that receive drug/ alcohol testing (Laborers; Operators; Field Supervisors; Others)	1
60	Human Resource	Yes/No	Training/orientation on sexual harassment in the workplace?	1
61	Human Resource	Yes/No	Within the last five years has there ever been a period when your firm had employees but was without workers' compensation insurance or state-approved self-insurance?	1
62	Safety Outcomes	Number	OSHA Citations	38
63	Safety Outcomes	Rate	EMR	36
64	Safety Outcomes	Number	Injuries: Recordable Cases	31
65	Safety Outcomes	Number	Fatalities	26
66	Safety Outcomes	Rate	Injuries: Days away, restricted, or transferred	10
67	Safety Outcomes	Yes/No	Non-OSHA citations within the last three years. suspensions for Excavating, Trenching, or Shoring/ Fall Protection/ Crane Safety/ Equipment Safety Devices or Workzone Traffic Control	1
68	Environmental	Yes/No	Does your company have an environmental protection program?	8
69	Environmental	Yes/No	EPA violations?	3
70	Environmental	Yes/No	Does your pre-job planning process include environmental concerns?	1
71	OSHA Partnership	Yes/No	Is your company a member of the VPP program?	2
72	OSHA Partnership	Yes/No	Is your company a member of the SHARP program?	1
73	OSHA Partnership	Yes/No	Is your company a participant of the OSHA Partnership Program?	1

Note. OSHA = Occupational Safety and Health Administration; PPE = Personal Protective Equipment; HSE = Health, Safety, and Environmental; EMT = Emergency Medical Technician; EMR = Experience Modification Rate; EPA = Environmental Protection Agency; VPP = OSHA Voluntary Protection Programs; SHARP = OSHA Safety & Health Achievement Recognition Program.

Table A2. Specific Safety Programs List and Count Frequencies.

No.	Specific safety programs	Number of surveys	Percent of surveys
1	Accident-reporting program	18	34.6
2	Toolbox talks	17	32.7
3	Fall protection program	12	23.1
4	Hazard communication program	12	23.1
5	First-aid or CPR training	12	23.1
6	Emergency action plan	10	19.2
7	Fire prevention and protection program	10	19.2
8	Respiratory program	10	19.2
9	Manholes and vaults program	10	19.2
10	Excavations program	9	17.3
11	Electrical protection program	9	17.3
12	Ladder program	9	17.3
13	Hearing conservation program	9	17.3
14	Hoisting and rigging program	8	15.4
15	Motor vehicles program	8	15.4
16	Scaffolding program	7	13.5
17	Asbestos program	7	13.5
18	Lead protection program	7	13.5
19	Medical surveillance program	7	13.5
20	Housekeeping program	6	11.5
21	Welding, cutting, and brazing	6	11.5
22	Aerial lifts program	6	11.5
23	Eye protection program	5	9.6
24	Compressed gases program	5	9.6
25	Abrasive blasting operation program	5	9.6
26	Head protection program	4	7.7
27	Signs, signals, and barricades program	4	7.7
28	Powered tools program	4	7.7
29	Foot protection program	3	5.8
30	Respond to regulatory program	3	5.8
31	Bloodborne pathogen training	3	5.8
32	Soft-tissue injury prevention program	2	3.8
33	NFPA 70E	2	3.8
34	LOTO program	2	3.8
35	Steel erection	1	1.9
36	Heat stress prevention program	1	1.9
37	Radiation exposure program	1	1.9
38	Industrial hygiene monitoring	1	1.9
39	OSHA HAZWOPER	1	1.9

Note. CPR = Cardiopulmonary Resuscitation.

Acknowledgments

The authors thank the members of the construction industry and Garret Burke of Construct Secure as well as Rory Stewart, Kristin Ironside, Michelle Gonzalez, Brett Powers, and Luz Marin for their support identifying prequalification surveys.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This research was funded in part by the Center for Construction Research and Training (CPWR) Grant No. U60 OH009762. The author Kang-Hung Liu was supported by Ministry of Science and Technology, Taiwan, program no. 105-2917-I-007-003 as a visiting scholar at the Occupational Biomechanics and Ergonomics Laboratory, Northeastern University.

References

1. Arslan G. Web-based contractor evaluation system for mass-housing projects in Turkey. *J Civ Eng Manag* 2012; 18: 323–334.
2. Doloi H. Analysis of pre-qualification criteria in contractor selection and their impacts on project success. *Constr Manage Econ* 2009; 27: 1245–1263.
3. Jafari A. A contractor pre-qualification model based on the quality function deployment method. *Constr Manage Econ* 2013; 31: 746–760.
4. Russell JS and Skibniewski MJ. Decision criteria in contractor prequalification. *J Manage Eng* 1988; 4: 146–164.
5. El-Sawalhi N, Eaton D and Rustom R. Contractor pre-qualification model: state-of-the-art. *Int J Project Manag* 2007; 25: 465–474.
6. Ng ST and Skitmore RM. Client and consultant perspectives of prequalification criteria. *Build Environ* 1999; 34: 607–621.
7. Hallowell MR and Gambatese JA. Construction safety risk mitigation. *J Constr Eng Manage* 2009; 135: 1316–1323.
8. Hinze J, Thurman S and Wehle A. Leading indicators of construction safety performance. *Safety Sci* 2013; 51: 23–28.
9. Boden LI, Petrofsky YV, Hopcia K, et al. Understanding the hospital sharps injury reporting pathway. *Am J Ind Med* 2015; 58: 282–289.
10. Azaroff LS, Levenstein C and Wegman DH. Occupational injury and illness surveillance: conceptual filters explain underreporting. *Am J Public Health* 2002; 92: 1421–1429.
11. Alzahrani JI and Emsley MW. The impact of contractors' attributes on construction project success: a post construction evaluation. *Int J Project Manage* 2013; 31: 313–322.

12. Hallowell MR, Hinze JW, Baud KC, et al. Proactive construction safety control: measuring, monitoring, and responding to safety leading indicators. *J Constr Eng Manage* 2013; 139: 04013010.
13. Zohar D. Safety climate: conceptualization, measurement, and improvement. In: B Schneider and KM Barbera (eds) *The Oxford handbook of organizational climate and culture*. Oxford: Oxford University Press, 2014, pp. 317–334.
14. Christian MS, Bradley JC, Wallace JC, et al. Workplace safety: a meta-analysis of the roles of person and situation factors. *J Appl Psychol* 2009; 94: 1103–1127.
15. Ismail Z, Doostdar S and Harun Z. Factors influencing the implementation of a safety management system for construction sites. *Safety Sci* 2012; 50: 418–423.
16. OSHA. Injury and illness prevention program. White paper, 2012.
17. DLLR Working G. Report from the workgroup to study occupational safety and health prequalification requirements on public works projects, www.dlslibrary.state.md.us/publications/Exec/DLLR/HB951Ch625_2014.pdf (2014, accessed 15 November 2018).
18. ENR. ENR 2016 Top 400 Contractors 1-100. Engineering News-Record. BNP Media, 2016.
19. Holdsworth R. Practical applications approach to design, development and implementation of an integrated management system. *J Hazard Mater* 2003; 104: 193–205.
20. Hinze J and Godfrey R. An evaluation of safety performance measures for construction projects. *J Constr Res* 2003; 4: 5–15.
21. OSHA. *Recommended practices for safety & health programs in construction*. Washington, DC: Occupational Safety and Health Administration, 2016.
22. Zohar D and Polachek T. Discourse-based intervention for modifying supervisory communication as leverage for safety climate and performance improvement: a randomized field study. *J Appl Psychol* 2014; 99: 113–124.
23. Sparer EH, Catalano PJ, Herrick RF, et al. Improving safety climate through a communication and recognition program for construction: a mixed methods study. *Scand J Work Environ Health* 2016; 42: 329–337.
24. Weil D. The contemporary industrial relations system in construction: analysis, observations and speculations. *Labor Hist* 2005; 46: 447–471.
25. Weil D. *The fissured workplace: why work became so bad for so many and what can be done to improve it*. Cambridge: Harvard University Press, 2014, pp. viii, 410.
26. Sorensen G, Sparer E, Williams JAR, et al. Measuring best practices for workplace safety, health and wellbeing: the workplace integrated safety and health assessment. *J Occup Environ Med* 2018; 60: 430–9.
27. Punnett L, Warren N, Henning R, et al. Participatory ergonomics as a model for integrated programs to prevent chronic disease. *J Occup Environ Med* 2013; 55: S19–S24.
28. Michaels D. 7 ways to improve operations without sacrificing worker safety. *Harvard Bus Rev* 2018, <https://hbr.org/2018/03/7-ways-to-improve-operations-without-sacrificing-worker-safety> (accessed 25 November, 2018).
29. Pronk NP, McLellan DL, McGrail MP, et al. Measurement tools for integrated worker health protection and promotion: lessons learned from the SafeWell project. *J Occup Environ Med* 2016; 58: 651–658.

30. NIOSH. *Essential elements of effective workplace programs and policies for improving worker health and wellbeing*. Centers for Disease Control and Prevention, 2008.
31. Sorensen G, Sparer E, Williams JAR, et al. Measuring best practices for workplace safety, health, and well-being: the workplace integrated safety and health assessment. *J Occup Environ Med* 2018; 60: 430–439.
32. Irons ME. City will soon be able to revoke permits at unsafe work sites. *Boston Globe*, 2016.

Author Biographies

Kang-Hung Liu is a doctoral candidate in Department of Industrial Engineering and Engineering Management, National Tsing Hua University, Hsinchu, Taiwan. His research identifies potential work risks using a safety climate technique based on the organizational ergonomics approach. He holds industrial engineering degrees from the National Tsing Hua University.

Jamie Tessler is an occupational and environmental health training manager at Northeastern University. She has 29 years of experience researching, designing, and conducting occupational health and safety training programs, with the last 20 years focused on ergonomics programs in various industries. She holds degrees from the University of Massachusetts Lowell, Hunter College, and Hampshire College.

Lauren A. Murphy is an assistant clinical professor in the Department of Physical Therapy, Movement, and Rehabilitation Sciences in the Bouvé College of Health Science at Northeastern University. As an Industrial/Organizational Psychologist, she has advanced knowledge in quantitative research (e.g., survey development and testing/administration), qualitative research methods (e.g., focus groups and interviews), and data analysis. She holds degrees from Portland State University and the University of Massachusetts Amherst.

Chien-Chi Chang is a professor in the Department of Industrial Engineering and Engineering Management at the National Tsing Hua University in Hsinchu, Taiwan.

Jack T. Dennerlein is a professor in the Department of Physical Therapy, Movement, and Rehabilitation Sciences in the Bouvé College of Health Science at Northeastern University. He is also adjunct professor of ergonomics and safety at the Harvard T. H. Chan School of Public Health and associate director for their Center for Work, Health, and Wellbeing. Dennerlein holds degrees from the State University of New York at Buffalo, Massachusetts Institute of Technology, and the University of California, Berkeley.